

Detailed Delfleet Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic HAP5 per Gallon of Product" represents the weight of organic HAP5 per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Description	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic HAP5 per Gallon of Product	
			lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr					
F3115	HS High Build Binder	Single-Stage Ctg	8.50	1019	1.97	236	1.97	236	23.1	0.0	0.0	0.0	0.0	0.0	0.01
F3117	Solid Color HS Binder	Single-Stage Ctg	8.51	1020	2.07	248	2.07	248	24.4	0.0	0.0	0.0	0.0	0.0	0.00
F3118	Flattening Binder		9.62	1153	2.32	278	1.44	173	48.8	0.0	33.8	0.0	37.8	0.00	0.00
F3120	HS BC Converter	Color Ctg	7.59	910	3.79	454	3.79	454	50.0	0.0	0.0	0.0	0.0	0.0	0.00
F3125	Metallic BC Converter	Color Ctg	8.42	1009	1.94	232	1.94	232	23.0	0.0	0.0	0.0	0.0	0.0	0.00
F3130	HS Blendable BC Converter	Color Ctg	7.11	852	3.46	415	1.41	169	74.7	0.0	54.9	0.0	59.3	0.00	0.00
F3135	Spot Repair Basecoat Converter	Color Ctg	7.32	877	2.87	344	2.87	344	39.2	0.0	0.0	0.0	0.0	0.0	0.00
F3140	BC Converter		7.38	884	6.42	769	6.42	769	87.1	0.0	0.0	0.0	0.0	0.0	0.00
F3150	Metallic Color Single Stage Binder		8.19	981	4.20	503	4.20	503	51.2	0.0	0.0	0.0	0.0	0.0	0.00
F3160	Solid Color Single Stage Binder		8.39	1005	3.75	449	3.75	449	44.7	0.0	0.0	0.0	0.0	0.0	0.82
F3175	Chemical Resistant Binder		7.72	925	4.19	502	4.19	502	54.3	0.0	0.0	0.0	0.0	0.0	2.07
F3200	High Solids Hardener	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Hardener)	9.10	1091	1.35	162	1.35	162	14.8	0.0	0.0	0.0	0.0	0.0	0.00
F3210	2.1 Clear Hardener	Clear Ctg (Hardener)	9.95	1192	0.58	69	0.43	52	32.2	0.0	27.9	0.0	24.8	0.00	0.00
F3211	2.1 Clear Hardener - Slow	Clear Ctg (Hardener)	9.95	1192	0.58	69	0.43	52	32.3	0.0	27.9	0.0	24.8	0.00	0.00
F3215	Designer Clear Hardener		9.20	1103	1.27	152	1.27	152	13.8	0.0	0.0	0.0	0.0	0.0	0.00
F3226	Urethane Clear Hardener		8.27	991	3.59	430	3.59	430	43.5	0.0	0.0	0.0	0.0	0.0	0.00
F3240	High Build Clear Hardener		8.95	1073	1.44	173	1.44	173	16.1	0.0	0.0	0.0	0.0	0.0	0.00
F3250	Medium Solids Hardener - Fast		8.32	997	4.53	543	4.53	543	54.4	0.0	0.0	0.0	0.0	0.0	0.00
F3260	HS Hardener - Fast	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Hardener)	9.21	1104	1.34	161	1.34	161	14.5	0.0	0.0	0.0	0.0	0.0	0.00
F3270	Medium Solids Hardener		8.31	996	4.53	543	4.53	543	54.6	0.0	0.0	0.0	0.0	0.0	0.00
F3275	Chemical Resistant Hardener		8.87	1063	2.05	246	2.05	246	23.1	0.0	0.0	0.0	0.0	0.0	0.00
F3280	High Performance Clear Hardener		8.74	1047	2.31	277	2.31	277	26.4	0.0	0.0	0.0	0.0	0.0	0.00
F3310	Thinner - Extra Fast	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	6.92	829	7.38	884	3.11	373	100.0	0.0	55.0	0.0	57.8	0.00	0.00
F3320	Thinner - Fast	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.02	841	7.02	841	7.02	841	100.0	0.0	0.0	0.0	0.0	0.0	0.00
F3330	Thinner - Medium	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.13	854	7.13	854	7.13	854	100.0	0.0	0.0	0.0	0.0	0.0	0.00
F3340	Thinner - Slow	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.13	854	7.13	854	7.13	854	100.0	0.0	0.0	0.0	0.0	0.0	0.00
F3350	Thinner - Extra Slow	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.13	854	7.13	854	7.13	854	100.0	0.0	0.0	0.0	0.0	0.0	0.00
F3360	Retarder	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	7.13	854	7.13	854	7.13	854	100.0	0.0	0.0	0.0	0.0	0.0	0.00
F3385	Exempt Solvent	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	8.89	1065	0.00	0	0.00	0	100.0	0.0	100.0	0.0	100.0	0.00	0.00
F3390	Exempt Solvent - Medium	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	10.04	1203	0.00	0	0.00	0	100.0	0.0	100.0	0.0	100.0	0.00	0.00
F3395	Exempt Solvent - Slow	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Thinner)	11.20	1342	0.00	0	0.00	0	100.0	0.0	100.0	0.0	100.0	0.00	0.00
F3400	Fast Dry Additive	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Additive)	8.15	977	8.01	960	8.01	960	98.3	0.0	0.0	0.0	0.0	0.0	0.00

Detailed Delfleet Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic HAP5 per Gallon of Product" represents the weight of organic HAP5 per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Description	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic HAP5 per Gallon of Product
			lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr				
F3405	Medium Dry Additive	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Additive)	8.14	975	8.08	968	8.08	968	99.2	0.0	0.0	0.0	0.0	0.00
F3410	Slow Dry Additive	Clear Ctg, Color Ctg, Primer, Single-Stage Ctg (Additive)	8.14	975	8.14	975	8.14	975	100.0	0.0	0.0	0.0	0.0	0.00
F3415	Designer Clear Accelerator	Clear Ctg (Additive)	8.18	980	7.65	916	7.65	916	93.5	0.0	0.0	0.0	0.0	0.00
F3440	Basecoat Dry Additive	Color Ctg (Additive)	8.47	1015	0.00	0	0.00	0	98.7	0.0	98.7	0.0	98.7	0.00
F3441	BC Dry Additive	Color Ctg (Additive)	8.68	1040	0.00	0	0.00	0	99.4	0.0	99.4	0.0	99.4	0.00
F3442	BC Dry Additive - Slow	Color Ctg (Additive)	10.06	1206	0.00	0	0.00	0	99.6	0.0	99.6	0.0	99.6	0.00
F3475	Chemical Resistant Activator - Fast		9.71	1164	8.03	962	1.40	168	99.8	0.0	85.4	0.0	82.5	0.00
F3476	Chemical Resistant Activator - Medium		9.71	1164	8.10	970	1.40	168	99.9	0.0	85.5	0.0	82.7	0.00
F3477	Chemical Resistant Activator - Slow		9.71	1164	8.12	973	1.40	168	100.0	0.0	85.6	0.0	82.7	0.00
F3478	Chemical Resistant Activator - Very Slow		9.71	1164	8.14	975	1.40	168	100.0	0.0	85.6	0.0	82.8	0.00
F3500	Weak White Tinter	Color Ctg, Single-Stage Ctg	9.37	1123	3.71	444	3.71	444	39.7	0.0	0.0	0.0	0.0	0.00
F3501	Indo Blue Tinter	Color Ctg, Single-Stage Ctg	8.79	1053	3.86	462	3.86	462	43.9	0.0	0.0	0.0	0.0	0.00
F3502	Quindo Maroon Tinter	Color Ctg, Single-Stage Ctg	8.65	1037	4.14	496	4.14	496	47.8	0.0	0.0	0.0	0.0	0.00
F3503	Quindo Red Tinter	Color Ctg, Single-Stage Ctg	8.96	1074	3.65	437	3.65	437	40.7	0.0	0.0	0.0	0.0	0.00
F3504	Trans Quindo Red Tinter	Color Ctg, Single-Stage Ctg	8.78	1052	3.95	473	3.95	473	45.0	0.0	0.0	0.0	0.0	0.00
F3505	Trans Yellow Oxide Tinter	Color Ctg, Single-Stage Ctg	9.61	1152	3.94	472	3.94	472	41.1	0.0	0.0	0.0	0.0	0.00
F3506	Perrindo Red Tinter	Color Ctg, Single-Stage Ctg	8.78	1052	4.28	513	4.28	513	48.7	0.0	0.0	0.0	0.0	0.00
F3507	Quindo Magenta Tinter	Color Ctg, Single-Stage Ctg	8.79	1053	3.87	464	3.87	464	44.0	0.0	0.0	0.0	0.0	0.00
F3508	Trans Red Oxide Tinter	Color Ctg, Single-Stage Ctg	9.75	1168	4.02	482	4.02	482	41.2	0.0	0.0	0.0	0.0	0.00
F3509	Mid Shade Blue Tinter	Color Ctg, Single-Stage Ctg	8.81	1056	4.01	480	4.01	480	45.5	0.1	0.0	0.1	0.0	0.00
F3510	Perylene Maroon Tinter	Color Ctg, Single-Stage Ctg	8.85	1061	4.30	515	4.30	515	48.7	0.0	0.0	0.0	0.0	0.00
F3511	R5 Organic Yellow Tinter	Color Ctg, Single-Stage Ctg	8.53	1022	4.54	544	4.54	544	53.2	0.0	0.0	0.0	0.0	0.00
F3512	Green Gold Tinter	Color Ctg, Single-Stage Ctg	8.52	1021	4.51	540	4.51	540	52.9	0.0	0.0	0.0	0.0	0.00
F3513	Rubine Red Tinter	Color Ctg, Single-Stage Ctg	8.80	1055	3.64	436	3.64	436	41.3	0.0	0.0	0.0	0.0	0.00
F3514	High Color Black Tinter	Color Ctg, Single-Stage Ctg	8.77	1051	4.01	480	4.01	480	45.8	0.0	0.0	0.0	0.0	0.00
F3515	Weak Blue Tinter	Color Ctg, Single-Stage Ctg	8.79	1053	3.45	413	3.45	413	39.3	0.0	0.0	0.0	0.0	0.00
F3516	Weak Green Tinter	Color Ctg, Single-Stage Ctg	8.29	993	3.53	423	3.53	423	42.6	0.0	0.0	0.0	0.0	0.00
F3517	Weak Yellow Oxide Tinter	Color Ctg, Single-Stage Ctg	8.93	1070	3.33	399	3.33	399	37.3	0.0	0.0	0.0	0.0	0.00
F3518	Weak Red Oxide Tinter	Color Ctg, Single-Stage Ctg	8.99	1077	3.35	401	3.35	401	37.3	0.0	0.0	0.0	0.0	0.00
F3519	Weak Blue Black Tinter	Color Ctg, Single-Stage Ctg	8.80	1055	3.42	410	3.42	410	38.9	0.0	0.0	0.0	0.0	0.00
F3520	Sunlight Yellow Tinter	Color Ctg, Single-Stage Ctg	15.86	1901	3.60	431	3.60	431	22.7	0.0	0.0	0.0	0.0	0.00
F3521	G5 Organic Yellow Tinter	Color Ctg, Single-Stage Ctg	9.87	1183	3.93	471	3.93	471	39.8	0.0	0.0	0.0	0.0	0.00
F3522	Verdant Yellow Tinter	Color Ctg, Single-Stage Ctg	15.03	1801	3.36	403	3.36	403	22.4	0.0	0.0	0.0	0.0	0.00
F3523	Phthalo Blue Tinter	Color Ctg, Single-Stage Ctg	8.97	1075	3.85	461	3.85	461	43.0	0.0	0.0	0.0	0.0	0.00
F3530	H5 Super Red Tinter	Color Ctg, Single-Stage Ctg	9.27	1111	4.03	483	4.03	483	43.5	0.0	0.0	0.0	0.0	0.00
F3531	H5 Splendid Yellow Tinter	Color Ctg, Single-Stage Ctg	9.88	1184	3.54	424	3.54	424	35.8	0.0	0.0	0.0	0.0	0.00
F3532	H5 Permanent Orange Tinter	Color Ctg, Single-Stage Ctg	9.49	1137	3.56	426	3.56	426	37.6	0.0	0.0	0.0	0.0	0.00
F3533	White Tinter	Color Ctg, Single-Stage Ctg	13.63	1633	2.93	351	2.93	351	21.5	0.0	0.0	0.0	0.0	0.00
F3534	Ruby Tinter	Color Ctg, Single-Stage Ctg	8.85	1061	3.74	448	3.74	448	42.2	0.0	0.0	0.0	0.0	0.00
F3535	Violet Tinter	Color Ctg, Single-Stage Ctg	8.72	1045	3.83	459	3.83	459	43.9	0.0	0.0	0.0	0.0	0.00
F3536	Scarlet Tinter	Color Ctg, Single-Stage Ctg	8.88	1064	4.10	491	4.10	491	46.2	0.0	0.0	0.0	0.0	0.00
F3537	Lt Chrome Yellow Tinter (Pb & Cr)	Color Ctg, Single-Stage Ctg	12.94	1551	3.52	422	3.52	422	27.2	0.0	0.0	0.0	0.0	0.00

Detailed Delfleet Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic HAP5 per Gallon of Product" represents the weight of organic HAP5 per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Description	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic HAP5 per Gallon of Product	
			lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr					
F3538	Chrome Yellow Tinter (Pb & Cr)	Color Ctg, Single-Stage Ctg	13.04	1563	3.48	417	3.48	417	26.7	0.0	0.0	0.0	0.0	0.0	0.00
F3539	Orange Tinter (Pb & Cr)	Color Ctg, Single-Stage Ctg	12.72	1524	3.39	406	3.39	406	26.7	0.0	0.0	0.0	0.0	0.0	0.00
F3540	Medium Green Tinter	Color Ctg, Single-Stage Ctg	9.14	1095	3.63	435	3.63	435	39.7	0.0	0.0	0.0	0.0	0.0	0.00
F3541	Dr Organic Green Tinter	Color Ctg, Single-Stage Ctg	9.16	1098	3.74	448	3.74	448	40.8	0.0	0.0	0.0	0.0	0.0	0.00
F3542	Yellow Oxide Tinter	Color Ctg, Single-Stage Ctg	10.79	1293	3.32	398	3.32	398	30.8	0.0	0.0	0.0	0.0	0.0	0.00
F3543	Black Tinter	Color Ctg, Single-Stage Ctg	8.96	1074	3.28	393	3.28	393	36.6	0.0	0.0	0.0	0.0	0.0	0.00
F3544	Red Oxide Tinter	Color Ctg, Single-Stage Ctg	10.99	1317	3.38	405	3.38	405	30.8	0.0	0.0	0.0	0.0	0.0	0.00
F3545	Organic Blue Tinter	Color Ctg, Single-Stage Ctg	8.88	1064	3.72	446	3.72	446	41.9	0.0	0.0	0.0	0.0	0.0	0.00
F3546	Night Blue Tinter	Color Ctg, Single-Stage Ctg	8.98	1076	3.53	423	3.53	423	39.3	0.0	0.0	0.0	0.0	0.0	0.00
F3547	Carbon Black Tinter	Color Ctg, Single-Stage Ctg	8.93	1070	3.36	403	3.36	403	37.7	0.0	0.0	0.0	0.0	0.0	0.16
F3548	Light Yellow Tinter	Color Ctg, Single-Stage Ctg	12.36	1481	3.65	437	3.65	437	29.6	0.0	0.0	0.0	0.0	0.0	0.00
F3549	Red Shade Blue Tinter	Color Ctg, Single-Stage Ctg	8.50	1019	4.35	521	4.35	521	51.1	0.0	0.0	0.0	0.0	0.0	0.00
F3550	Balancing Clear	Color Ctg, Single-Stage Ctg	8.51	1020	4.29	514	4.29	514	50.4	0.0	0.0	0.0	0.0	0.0	0.00
F3552	H5 White Tinter	Color Ctg, Single-Stage Ctg	16.97	2034	2.67	320	2.67	320	15.7	0.0	0.0	0.0	0.0	0.0	0.00
F3554	Red Oxide Tinter	Color Ctg, Single-Stage Ctg	10.98	1316	3.38	405	3.38	405	30.8	0.0	0.0	0.0	0.0	0.0	0.00
F3555	Jet Black	Color Ctg, Single-Stage Ctg	7.76	930	5.91	708	5.91	708	76.1	0.0	0.0	0.0	0.0	0.0	1.05
F3556	H5 Bright Red Tinter	Color Ctg, Single-Stage Ctg	9.60	1150	3.48	417	3.48	417	36.2	0.0	0.0	0.0	0.0	0.0	0.00
F3557	School Bus Yellow Tinter	Color Ctg, Single-Stage Ctg	9.94	1191	3.48	417	3.48	417	35.0	0.0	0.0	0.0	0.0	0.0	0.00
F3558	Red Shade Violet Tinter	Color Ctg, Single-Stage Ctg	8.75	1049	3.84	460	3.84	460	43.9	0.0	0.0	0.0	0.0	0.0	0.00
F3600	Fine Bright Aluminum Tinter	Color Ctg, Single-Stage Ctg	9.40	1126	3.85	461	3.85	461	40.9	0.0	0.0	0.0	0.0	0.0	0.00
F3601	Fine Gray Aluminum Tinter	Color Ctg, Single-Stage Ctg	9.43	1130	3.74	448	3.74	448	39.7	0.0	0.0	0.0	0.0	0.0	0.00
F3602	Sparkle Gray Aluminum Tinter	Color Ctg, Single-Stage Ctg	9.60	1150	3.67	440	3.66	438	38.4	0.2	0.0	0.2	0.0	0.0	0.00
F3603	Extra Coarse Aluminum Tinter	Color Ctg, Single-Stage Ctg	9.43	1130	3.72	446	3.72	446	39.5	0.0	0.0	0.0	0.0	0.0	0.00
F3604	Sparkle Aluminum Tinter	Color Ctg, Single-Stage Ctg	9.40	1126	3.65	437	3.65	437	38.8	0.0	0.0	0.0	0.0	0.0	0.00
F3605	Medium Aluminum Tinter	Color Ctg, Single-Stage Ctg	9.38	1124	3.68	441	3.68	441	39.2	0.0	0.0	0.0	0.0	0.0	0.00
F3700	Metallic Additive	Color Ctg, Single-Stage Ctg	8.92	1069	3.93	471	3.93	471	44.1	0.0	0.0	0.0	0.0	0.0	0.00
F3701	Flop Adjuster	Color Ctg, Single-Stage Ctg	9.73	1166	3.75	449	3.75	449	38.5	0.0	0.0	0.0	0.0	0.0	0.00
F3702	H5 Flop Adjuster	Color Ctg, Single-Stage Ctg	8.73	1046	4.00	479	4.00	479	45.8	0.0	0.0	0.0	0.0	0.0	0.33
F3710	Basecoat Blending Additive	Color Ctg, Single-Stage Ctg	7.70	923	3.85	461	3.85	461	50.0	0.0	0.0	0.0	0.0	0.0	0.00
F3800	White Pearl	Color Ctg, Single-Stage Ctg	19.24	2306	1.92	230	1.92	230	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3801	Blue Pearl	Color Ctg, Single-Stage Ctg	20.41	2446	2.04	244	2.04	244	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3802	Fine Russet Pearl	Color Ctg, Single-Stage Ctg	29.15	3493	2.92	350	2.92	350	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3803	Russet Pearl	Color Ctg, Single-Stage Ctg	20.16	2416	2.02	242	2.02	242	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3804	Fine Blue Pearl	Color Ctg, Single-Stage Ctg	20.41	2446	2.04	244	2.04	244	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3805	Gold Pearl	Color Ctg, Single-Stage Ctg	21.24	2545	2.12	254	2.12	254	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3806	Fine White Pearl	Color Ctg, Single-Stage Ctg	25.82	3094	2.58	309	2.58	309	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3807	Copper Pearl	Color Ctg, Single-Stage Ctg	17.91	2146	1.79	214	1.79	214	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3808	Super Gold Pearl	Color Ctg, Single-Stage Ctg	19.99	2396	2.00	240	2.00	240	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3809	Super Green Pearl	Color Ctg, Single-Stage Ctg	21.00	2517	2.10	252	2.10	252	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3810	Violet Pearl	Color Ctg, Single-Stage Ctg	20.60	2469	2.06	247	2.06	247	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3811	Red Pearl	Color Ctg, Single-Stage Ctg	20.60	2469	2.06	247	2.06	247	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3812	Orange Pearl	Color Ctg, Single-Stage Ctg	20.60	2469	2.06	247	2.06	247	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3813	Blue Green Pearl	Color Ctg, Single-Stage Ctg	20.40	2445	2.04	244	2.04	244	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3814	Olive Green Pearl	Color Ctg, Single-Stage Ctg	20.40	2445	2.04	244	2.04	244	10.0	0.0	0.0	0.0	0.0	0.0	0.00

Detailed Delfleet Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic HAP5 per Gallon of Product" represents the weight of organic HAP5 per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Description	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic HAP5 per Gallon of Product	
			lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr					
F3815	Bronze Pearl	Color Ctg, Single-Stage Ctg	20.60	2469	2.06	247	2.06	247	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3816	Medium White Pearl	Color Ctg, Single-Stage Ctg	18.40	2205	1.84	220	1.84	220	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3817	Red-Green Pearl	Color Ctg, Single-Stage Ctg	21.65	2595	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.0	0.00
F3905	High Build Clear		8.12	973	3.34	400	3.34	400	41.1	0.0	0.0	0.0	0.0	0.0	1.94
F3905SF	High Build Clear		8.12	973	3.34	400	3.34	400	41.1	0.0	0.0	0.0	0.0	0.0	1.94
F3906	High Build Clear - Sow Dry		8.12	973	3.34	400	3.34	400	41.1	0.0	0.0	0.0	0.0	0.0	1.94
F3910	High Performance Clear		8.13	974	2.48	297	2.48	297	30.5	0.0	0.0	0.0	0.0	0.0	0.00
F3911	Chemical Resistant Clear		7.72	925	4.19	502	4.19	502	54.3	0.0	0.0	0.0	0.0	0.0	2.07
F3915	Designer Clear		8.89	1065	3.53	423	3.53	423	39.7	0.0	0.0	0.0	0.0	0.0	0.41
F3920	High Solids Clear		8.08	968	3.36	403	3.36	403	41.6	0.0	0.0	0.0	0.0	0.0	0.02
F3921	2.1 VOC Clear	Clear Ctg	9.21	1104	2.71	325	1.51	181	64.7	0.0	48.3	0.0	44.1	0.98	0.98
F3925	Urethane Clear		8.24	987	3.27	392	3.24	388	40.0	0.0	0.6	0.0	0.8	0.01	0.01
F3930	Conventional Clear		8.12	973	4.13	495	4.13	495	50.9	0.0	0.0	0.0	0.0	0.0	0.03
F3950	High Solids Epoxy Primer		10.36	1242	3.10	371	2.59	310	35.5	0.6	10.4	0.8	16.4	1.77	1.77
F3950SF	High Solids Epoxy Primer		10.36	1242	3.10	371	2.59	310	35.5	0.6	10.4	0.8	16.4	1.77	1.77
F3951	High Solids Epoxy Primer Hardener		8.18	980	2.97	356	2.97	356	36.3	0.0	0.0	0.0	0.0	0.0	2.25
F3955	Conventional Epoxy Primer		11.80	1414	3.94	472	3.94	472	33.4	0.0	0.0	0.0	0.0	0.0	2.19
F3960	Pigmented Chrome Etch Primer		8.62	1033	5.41	648	5.41	648	62.7	0.0	0.0	0.0	0.0	0.0	1.17
F3961	Pigmented Chrome Etch Primer Catalyst		7.04	844	6.87	823	6.73	806	98.0	2.4	0.0	2.1	0.0	0.0	1.27
F3963	Chrome Etch Primer		7.56	906	6.15	737	6.14	736	81.3	0.2	0.0	0.1	0.0	0.0	0.95
F3964	Chrome Etch Primer Hardener		7.04	844	6.82	817	6.63	794	97.6	3.4	0.0	2.8	0.0	0.0	2.72
F3966	Non-Chrome Etch Primer		8.65	1037	5.59	670	5.58	668	64.7	0.2	0.0	0.2	0.0	0.0	0.84
F3967	Non-Chrome Etch Primer Hardener		7.08	848	6.71	804	6.66	798	95.0	0.9	0.0	0.8	0.0	0.0	3.26
F3970	Ultra High Solids Primer	Primer	13.57	1626	1.58	189	1.40	168	15.9	0.0	5.5	0.0	11.4	0.00	0.00
F3971	Ultra High Solids Primer Hardener	Primer (Hardener)	8.67	1039	2.25	270	2.25	270	26.0	0.0	0.0	0.0	0.0	0.0	0.00
F3975	Fast Dry Surfacer		11.54	1383	4.29	514	4.29	514	37.1	0.0	0.0	0.0	0.0	0.0	1.43
F3980	High Solids Primer		11.67	1399	3.69	442	3.40	407	33.5	0.0	4.4	0.0	7.8	1.01	1.01
F3981	High Solids Primer Hardener		7.78	932	1.43	171	1.43	171	18.4	0.0	0.0	0.0	0.0	0.0	1.08
F3983	High Solids Fast Dry Primer (3/4 gal)		12.64	1515	3.39	406	3.39	406	26.9	0.0	0.0	0.0	0.0	0.0	1.22
F3984	High Solids Fast Dry Primer Hardener		8.49	1017	1.86	223	1.48	177	33.4	0.0	16.0	0.0	20.7	0.71	0.71
F3985	Pigmented Sealer - White		13.04	1563	2.86	343	2.86	343	21.9	0.0	0.0	0.0	0.0	0.0	0.83
F3986	Pigmented Sealer - Gray		12.67	1518	2.87	344	2.87	344	22.6	0.0	0.0	0.0	0.0	0.0	0.87
F3987	Pigmented Sealer - Black		12.33	1478	2.74	328	2.74	328	22.2	0.0	0.0	0.0	0.0	0.0	0.66
F3993	Conventional Epoxy Primer - Gray		11.84	1419	4.10	491	4.10	491	34.6	0.0	0.0	0.0	0.0	0.0	1.41
F3994	Conventional Epoxy Primer - Black		11.30	1354	4.12	494	4.12	494	36.4	0.0	0.0	0.0	0.0	0.0	1.45
F3995	Conventional Epoxy Primer		12.26	1469	4.09	490	4.09	490	33.4	0.0	0.0	0.0	0.0	0.0	1.49
F3996	Conventional Epoxy Primer Hardener		7.45	893	4.75	569	4.75	569	63.8	0.0	0.0	0.0	0.0	0.0	1.56
F3998	2.1 VOC Primer Surfacer	Primer	13.73	1645	1.30	156	1.18	141	13.1	0.0	4.5	0.0	9.3	0.37	0.37
F3999	2.1 VOC Primer Surfacer Activator	Primer (Hardener)	8.66	1038	1.72	206	1.49	179	27.4	0.0	10.1	0.0	13.3	0.23	0.23
FBCH92813	Cirrus Base White		10.18	1220	4.85	581	4.85	581	47.7	0.0	0.0	0.0	0.0	0.0	0.00
FBCH75482	Red	Color Ctg	8.63	1034	4.14	496	4.14	496	48.0	0.0	0.0	0.0	0.0	0.0	0.00
FBCH91777	White	Color Ctg	9.23	1106	4.11	492	4.11	492	44.6	0.0	0.0	0.0	0.0	0.0	0.00
FD909508LG	Argent		8.78	1052	3.29	394	2.98	357	43.2	0.0	9.2	0.0	9.4	0.00	0.00
FDG9000	Factory Pack- Black		8.65	1037	3.55	425	3.55	425	41.1	0.0	0.0	0.0	0.0	0.0	0.43

Detailed Delfleet Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic HAP5 per Gallon of Product" represents the weight of organic HAP5 per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Description	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic HAP5 per Gallon of Product
			lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						
FDGH35913	Silver Blue Metallic		8.70	1043	3.17	380	3.17	380	36.5	0.0	0.0	0.0	0.0	0.00
FDGH36154	Chevron Texaco Gray		9.70	1162	3.15	377	3.15	377	32.5	0.0	0.0	0.0	0.0	0.00
FDGH8717	Factory Package - White		10.52	1261	3.14	376	3.14	376	29.9	0.0	0.0	0.0	0.0	0.00
FDGH9000	Black		8.51	1020	3.25	389	3.25	389	38.2	0.0	0.0	0.0	0.0	0.00
FDGH9000SF	Black		8.51	1020	3.25	389	3.25	389	38.2	0.0	0.0	0.0	0.0	0.02
FDGH906299	Gloss Black		8.54	1023	3.16	379	3.16	379	37.1	0.0	0.0	0.0	0.0	0.00
FDGH91327	Factory Pack - White		10.52	1261	3.17	380	3.17	380	30.2	0.0	0.0	0.0	0.0	0.00
FDGH91430	Chevron Texaco White		10.55	1264	3.14	376	3.14	376	29.8	0.0	0.0	0.0	0.0	0.00
FDGH915874	IPS Basic Orange		9.40	1126	3.21	385	3.21	385	34.1	0.0	0.0	0.0	0.0	0.00
FDGH915950	Atomic Tangerine		10.14	1215	3.19	382	3.19	382	31.5	0.0	0.0	0.0	0.0	0.00
FDGH915951	Diamondback Light Gray		9.62	1153	3.14	376	3.14	376	32.6	0.0	0.0	0.0	0.0	0.00
FDGH915952	Diamondback Dark Gray		8.85	1061	3.16	379	3.16	379	35.7	0.0	0.0	0.0	0.0	0.00
FDGH91777	White		10.54	1263	3.17	380	3.17	380	30.1	0.0	0.0	0.0	0.0	0.00
FDGU26627	UPS Standard Brown	Single-Stage Ctg	8.77	1051	2.95	353	2.79	334	37.3	0.0	5.5	0.0	5.4	0.00
FDGU33776	UPS Standard Gray	Single-Stage Ctg	9.88	1184	2.93	351	2.77	332	33.0	0.0	4.9	0.0	5.5	0.00
FDGU90419	Houston Metro White	Single-Stage Ctg	10.78	1292	2.27	272	1.81	217	33.7	0.0	16.9	0.0	20.5	0.00
FDGU90631	White Factory Pack	Single-Stage Ctg	10.73	1286	2.88	345	2.88	345	26.9	0.0	0.0	0.0	0.0	0.00
FDGU911678	Houston Metro Matte Black	Single-Stage Ctg	9.35	1121	2.76	331	1.83	219	51.1	0.0	31.5	0.0	33.9	0.00
FDGU915493	UPS Freight Gray	Single-Stage Ctg	9.49	1137	2.80	335	2.34	280	40.1	0.0	15.3	0.0	16.4	0.27
FDGU915494	UPS Freight Black	Single-Stage Ctg	8.64	1035	2.96	355	2.78	333	38.5	0.0	6.2	0.0	6.0	0.00
FDGU92559	White	Single-Stage Ctg	10.78	1292	2.83	339	2.83	339	26.2	0.0	0.0	0.0	0.0	0.00
FDSH91776	White		10.44	1251	3.31	397	3.31	397	31.7	0.0	0.0	0.0	0.0	0.14